



Safety Data Sheet

Issue Date: 25-Apr-2013

Revision Date: 13-Nov-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name DyeSolv A

Other means of identification

SDS # SVM-013

Product Code 23169

Formula X1009

UN/ID No UN1219

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Details of the supplier of the safety data sheet

Manufacturer Address

ServiceMaster™ Clean
3839 Forest Hill Irene Rd.
Memphis, TN, USA. 38125

Emergency Telephone Number

Company Phone Number 1-800-756-5656 (ServiceMaster™ Clean)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, water white,
colorless

Physical State Liquid

Odor Slight alcohol/acetic acid

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 3

Signal Word

Warning

Hazard Statements

Harmful if inhaled
Causes serious eye irritation
Flammable liquid and vapor



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Wash face, hands and any exposed skin thoroughly after handling
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 If skin irritation persists: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a poison center or doctor/physician if you feel unwell
 IN CASE OF FIRE: Use CO₂, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl alcohol	67-63-0	1-5
Hydroxyacetic acid	79-14-1	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice

Provide this SDS to medical personnel for treatment.

Eye Contact

Immediately flush with cool water. Remove contact lenses, if any, after the initial flushing and then continue flushing for 15 minutes. If eye irritation persists: Get medical advice/attention.

Skin Contact	Flush affected area with water. Wash with soap and water, rinse thoroughly. If irritation persists, obtain medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if you feel unwell.
Ingestion	Rinse mouth with water several times. Obtain medical attention. Do not induce vomiting. Give 1 – 2 glasses of water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	May cause respiratory irritation.
-----------------	-----------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Carbon dioxide, dry chemical, foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is flammable.

Hazardous Combustion Products Carbon oxides.

Sensitivity to Static Discharge Flammable mixtures of this product are readily ignited even by static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
Environmental Precautions	See Section 12 for additional Ecological Information. Prevent entry into drains, sewers and other waterways.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb spill with an inert absorbent material.
Methods for Clean-Up	Use non-sparking hand tools and explosion-proof electrical equipment. Sweep up absorbed material and shovel into suitable containers for disposal. Dispose in accordance with local, provincial/state and federal regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, sparks and open flame. Avoid breathing vapors/mists. Use adequate ventilation. Wear personal protective equipment appropriate to task. Wash thoroughly after handling. Keep out of reach of children. Avoid contact with skin, eyes and clothing. Launder contaminated clothing prior to reuse. Ground container and transfer equipment to eliminate static electric sparks. Use spark-proof tools and explosion-proof equipment. Keep container tightly closed. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a cool, well-ventilated place. Store away from incompatible materials. Keep containers closed when not in use. Keep away from heat and ignition sources.

Incompatible Materials

Bases. Oxidizers. Soft Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Appropriate engineering controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Safety glasses.

Skin and Body Protection

Rubber gloves. As required to prevent skin contact. Normal work clothes. Safety shoes per local regulations.

Respiratory Protection

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Wash hands before eating, drinking, smoking and using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Liquid

Appearance

Clear, water white, colorless

Color

Clear, water white, colorless

Odor

Slight alcohol/acetic acid

Odor Threshold

Not determined

Property

Values

Remarks • Method

pH	2.0-3.0
Melting Point/Freezing Point	Not determined
Boiling Point/Boiling Range	Not available
Flash Point	49 °C / 120.2 °F
Evaporation Rate	Not available
Flammability (Solid, Gas)	Not available
Upper Flammability Limits	Not available
Lower Flammability Limit	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity	0.995-1.005
Water Solubility	Completely soluble
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not available
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Water thin
Explosive Properties	Not determined
Oxidizing Properties	Not determined
VOC Content	>99%
Density	Pounds per gallon 25°C 8.30 - 8.35

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Heat, sparks and open flames.

Incompatible Materials

Bases. Oxidizers. Soft Metals.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Causes serious eye irritation.

Skin Contact

Prolonged and repeated contact may cause drying and defatting of the skin which can lead to irritation and dermatitis.

Inhalation

Harmful if inhaled.

Ingestion

May cause nausea and vomiting. May cause stomach distress.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydroxyacetic acid 79-14-1	-	-	= 7100 µg/m ³ (Rat) 4 h
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydroxyacetic acid 79-14-1		5000: 96 h Brachydanio rerio mg/L LC50 static		
Isopropyl alcohol 67-63-0	1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05
Hydroxyacetic acid 79-14-1	-1.11

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1219
Proper Shipping Name	Isopropyl alcohol solution
Hazard Class	3
Packing Group	III

IATA

UN/ID No	UN1219
Proper Shipping Name	Isopropyl alcohol solution
Hazard Class	3
Packing Group	III

IMDG

UN/ID No	UN1219
Proper Shipping Name	Isopropyl alcohol solution
Hazard Class	3
Packing Group	III

TDG

UN/ID No	UN1219
Proper Shipping Name	Isopropyl alcohol solution
Hazard Class	3
Packing Group	III

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	1-5	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

Not determined

Flammability

Not determined

Physical Hazards

Not determined

Personal Protection

Not determined

Issue Date: 25-Apr-2013
Revision Date: 13-Nov-2013
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet