



# Safety Data Sheet

Issue Date: 15-Jan-2013

Revision Date: 30-Sep-2015

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** FiberFresh Ultra Clean Enzyme Extraction Cleaner

### Other means of identification

**SDS #** SVM-057R

**Product Code** 23472 & 23475  
Formula code Y1173

### Recommended use of the chemical and restrictions on use

**Recommended Use** Carpet Cleaner.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

ServiceMaster™ Clean  
3839 Forest Hill Irene Rd.  
Memphis, TN, USA. 38125

### Emergency Telephone Number

**Company Phone Number** 1-800-756-5656 (ServiceMaster™ Clean)  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Bright Yellow Powder

**Physical State** Powder

**Odor** Sweet Floral, Orange

### Classification

|   |             |
|---|-------------|
| Acute toxicity - Oral                     | Category 4  |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 3  |
| Skin corrosion/irritation                 | Category 2  |
| Serious eye damage/eye irritation         | Category 2  |
| Respiratory sensitization                 | Category 1  |
| Carcinogenicity                           | Category 1A |

### Signal Word

**Danger**

### Hazard Statements

Harmful if swallowed  
Toxic if inhaled  
Causes skin irritation  
Causes serious eye irritation  
May cause allergy or asthma symptoms or breathing difficulties if inhaled  
May cause cancer

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Wear eye/face protection  
 In case of inadequate ventilation wear respiratory protection

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 Take off contaminated clothing and wash it before reuse  
 If skin irritation occurs: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician  
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
 Rinse mouth

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                     | CAS No     | Weight-% |
|-----------------------------------|------------|----------|
| Sodium Tripolyphosphate           | 7758-29-4  | 40-70    |
| Sodium carbonate                  | 497-19-8   | 5-10     |
| Sodium dodecyl benzene sulphonate | 25155-30-0 | 3-7      |
| Ethylene Glycol Monobutyl Ether   | 111-76-2   | 3-7      |
| Sodium lauryl sulfate             | 151-21-3   | 1-5      |
| Sodium metasilicate               | 6834-92-0  | 1-5      |
| Silica, Quartz                    | 14808-60-7 | < 1.0    |
| Subtilisin                        | 9014-01-1  | 0.1-1    |

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### First Aid Measures

|                       |  |
|-----------------------|--|
| <b>General Advice</b> | Provide this SDS to medical personnel for treatment.   |
| <b>Eye Contact</b>    | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| <b>Skin Contact</b>   | Brush away excess of dry material. Immediately flush with cool water for 15 minutes. If skin irritation occurs: Get medical advice/attention.  |
| <b>Inhalation</b>     | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.   |
| <b>Ingestion</b>      | Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water. Call a poison center or doctor/physician if you feel unwell.  |

### Most important symptoms and effects

|                 |   |
|-----------------|---|
| <b>Symptoms</b> | <p>Eye: Causes chemical burns. May cause eye damage.</p> <p>Skin: Causes chemical burns. Harmful contact may not cause immediate pain. May be absorbed through the skin.</p> <p>Inhalation: May cause respiratory tract irritation.</p> <p>Ingestion: Harmful if swallowed. Causes chemical burns to mouth, throat and stomach.</p> |
|-----------------|---|

### Indication of any immediate medical attention and special treatment needed

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

**Hazardous Combustion Products** May include and are not limited to oxides of carbon, phosphorous, and sulfur.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

|                                  |   |
|----------------------------------|---|
| <b>Personal Precautions</b>      | Wear protective clothing as described in Section 8 of this safety data sheet.                                 |
| <b>Environmental Precautions</b> | Prevent large spills from entering sewers or waterways. See Section 12 for additional Ecological Information. |

### Methods and material for containment and cleaning up

|                                |   |
|--------------------------------|---|
| <b>Methods for Containment</b> | Prevent further leakage or spillage if safe to do so. |
|--------------------------------|---|

**Methods for Clean-Up**

Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

## 7. HANDLING AND STORAGE

**Precautions for safe handling****Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Keep out of the reach of children. Use personal protection recommended in Section 8. Wash face, hands, and any exposed skin thoroughly after handling. Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Store in a closed container away from incompatible materials. Store locked up.

**Incompatible Materials**

Acids, oxidizers, metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

| Chemical Name                               | ACGIH TLV   | OSHA PEL  | NIOSH IDLH  |
|---|---|---|---|
| Sodium Tripolyphosphate<br>7758-29-4        | 15 mg/m <sup>3</sup>  | 15 mg/m <sup>3</sup>  | -   |
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | TWA: 20 ppm   | TWA: 50 ppm<br>TWA: 240 mg/m <sup>3</sup><br>(vacated) TWA: 25 ppm<br>(vacated) TWA: 120 mg/m <sup>3</sup><br>(vacated) S*<br>S*  | IDLH: 700 ppm<br>TWA: 5 ppm<br>TWA: 24 mg/m <sup>3</sup>                                  |
| Sodium metasilicate<br>6834-92-0            | 2 mg/m <sup>3</sup>   | 2 mg/m <sup>3</sup>   | -   |
| Silica, Quartz<br>14808-60-7                | TWA: 0.025 mg/m <sup>3</sup> respirable fraction                | (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust<br>: (30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA total dust<br>: (250)/(%SiO <sub>2</sub> + 5) mppcf<br>TWA respirable fraction<br>: (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction | IDLH: 50 mg/m <sup>3</sup> respirable dust<br>TWA: 0.05 mg/m <sup>3</sup> respirable dust |
| Subtilisin<br>9014-01-1                     | Ceiling: 0.00006 mg/m <sup>3</sup> as crystalline active enzyme | (vacated) STEL: 0.00006 mg/m <sup>3</sup> 60 min  | STEL: 0.00006 mg/m <sup>3</sup> 60 min<br>Subtilisins                                     |

**Appropriate engineering controls****Engineering Controls**

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. General ventilation normally adequate.

**Individual protection measures, such as personal protective equipment****Eye/Face Protection**

Chemical splash goggles.

**Skin and Body Protection**

Confirm with a reputable supplier first.

**Respiratory Protection** Not normally required if good ventilation is maintained. A NIOSH approved N95 dust mask is recommended for use where ventilation or engineering controls do not provide adequate protection.

**General Hygiene Considerations** Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                       |                      |                       |                      |
|-----------------------|----------------------|-----------------------|----------------------|
| <b>Physical State</b> | Powder               | <b>Odor</b>           | Sweet Floral, Orange |
| <b>Appearance</b>     | Bright Yellow Powder | <b>Odor Threshold</b> | Not available        |
| <b>Color</b>          | Bright yellow        |                       |                      |

| <u>Property</u>                     | <u>Values</u>  | <u>Remarks • Method</u> |
|-------------------------------------|----------------|-------------------------|
| <b>pH</b>                           | 11.0 +/- 0.25  |                         |
| <b>Melting Point/Freezing Point</b> | Not available  |                         |
| <b>Boiling Point/Boiling Range</b>  | Not available  |                         |
| <b>Flash Point</b>                  | None           |                         |
| <b>Evaporation Rate</b>             | Not available  |                         |
| <b>Flammability (Solid, Gas)</b>    | Not determined |                         |
| <b>Upper Flammability Limits</b>    | Not applicable |                         |
| <b>Lower Flammability Limit</b>     | Not applicable |                         |
| <b>Vapor Pressure</b>               | Not available  |                         |
| <b>Vapor Density</b>                | Not available  |                         |
| <b>Specific Gravity</b>             | Not determined |                         |
| <b>Water Solubility</b>             | Not determined |                         |
| <b>Solubility in other solvents</b> | Not determined |                         |
| <b>Partition Coefficient</b>        | Not determined |                         |
| <b>Auto-ignition Temperature</b>    | Not determined |                         |
| <b>Decomposition Temperature</b>    | Not determined |                         |
| <b>Kinematic Viscosity</b>          | Not determined |                         |
| <b>Dynamic Viscosity</b>            | Not determined |                         |
| <b>Explosive Properties</b>         | Not determined |                         |
| <b>Oxidizing Properties</b>         | Not determined |                         |

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions. Do not mix with anything but water. Reacts vigorously with acids. Reacts with soft metals such as aluminum and zinc producing flammable hydrogen gas. Do not add water directly to dry product; will cause spattering. Slowly stir product into cold water.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Incompatible Materials.

### Incompatible Materials

Acids, oxidizers, metals.

### Hazardous Decomposition Products

May include and are not limited to oxides of carbon, oxides of phosphorous, oxides of sulfur when heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |  |
|---------------------|--|
| <b>Eye Contact</b>  | Causes serious eye irritation.   |
| <b>Skin Contact</b> | Causes skin irritation.  |
| <b>Inhalation</b>   | Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause irritation to the mucous membranes and upper respiratory tract. |
| <b>Ingestion</b>    | Harmful if swallowed. Can cause irritation and corrosive burns to mouth, throat, and stomach.  |

### Component Information

| Chemical Name                                      | Oral LD50                               | Dermal LD50             | Inhalation LC50                      |
|--|---|-------------------------|--------------------------------------|
| Sodium Tripolyphosphate<br>7758-29-4               | = 3100 mg/kg ( Rat )                    | > 7940 mg/kg ( Rabbit ) | -                                    |
| Sodium carbonate<br>497-19-8                       | = 4090 mg/kg ( Rat )                    | -                       | = 2300 mg/m <sup>3</sup> ( Rat ) 2 h |
| Sodium dodecyl benzene<br>sulphonate<br>25155-30-0 | = 500 mg/kg ( Rat ) = 438 mg/kg ( Rat ) | -                       | -                                    |
| Ethylene Glycol Monobutyl Ether<br>111-76-2        | = 470 mg/kg ( Rat )                     | = 99 mg/kg ( Rabbit )   | = 450 ppm ( Rat ) 4 h                |
| Sodium lauryl sulfate<br>151-21-3                  | = 977 mg/kg ( Rat )                     | = 580 mg/kg ( Rabbit )  | > 3900 mg/m <sup>3</sup> ( Rat ) 1 h |
| Sodium metasilicate<br>6834-92-0                   | = 600 mg/kg ( Rat )                     | -                       | -                                    |
| Silica, Quartz<br>14808-60-7                       | = 500 mg/kg ( Rat )                     | -                       | -                                    |
| Subtilisin<br>9014-01-1                            | = 3700 mg/kg ( Rat )                    | -                       | -                                    |

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Carcinogenicity** May cause cancer.

| Chemical Name                               | ACGIH | IARC    | NTP   | OSHA |
|---|-------|---------|-------|------|
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | A3    | Group 3 |       |      |
| Silica, Quartz<br>14808-60-7                | A2    | Group 1 | Known | X    |

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Chronic toxicity**

Prolonged or repeated exposure to dilutions can cause drying, de-fatting and dermatitis. 2-Butoxyethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged; may cause blood damage based on published data; these effects have not been observed in humans.

**Numerical measures of toxicity**

Not determined

|                                   |
|-----------------------------------|
| <b>12. ECOLOGICAL INFORMATION</b> |
|-----------------------------------|

**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information**

| Chemical Name                                      | Algae/aquatic plants              | Fish   | Toxicity to microorganisms | Crustacea   |
|--|-----------------------------------|--|----------------------------|---|
| Sodium Tripolyphosphate<br>7758-29-4               |                                   | 1650: 48 h Leuciscus idus<br>mg/L LC50   |                            |   |
| Sodium carbonate<br>497-19-8                       | 242: 120 h Nitzschia mg/L<br>EC50 | 300: 96 h Lepomis<br>macrochirus mg/L LC50<br>static 310 - 1220: 96 h<br>Pimephales promelas mg/L<br>LC50 static |                            | 265: 48 h Daphnia magna<br>mg/L EC50  |
| Sodium dodecyl benzene<br>sulphonate<br>25155-30-0 |                                   | 10.8: 96 h Oncorhynchus<br>mykiss mg/L LC50 static   |                            |   |
| Ethylene Glycol Monobutyl<br>Ether<br>111-76-2     |                                   | 1490: 96 h Lepomis<br>macrochirus mg/L LC50<br>static 2950: 96 h Lepomis<br>macrochirus mg/L LC50                |                            | 1000: 48 h Daphnia magna<br>mg/L EC50 1698 - 1940: 24<br>h Daphnia magna mg/L<br>EC50 |

|   |   |  |  |   |
|---|---|--|--|---|
| <p>Sodium lauryl sulfate<br/>151-21-3</p> | <p>53: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 30 - 100: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 117: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 3.59 - 15.6: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static</p> | <p>8 - 12.5: 96 h <i>Pimephales promelas</i> mg/L LC50 static 15 - 18.9: 96 h <i>Pimephales promelas</i> mg/L LC50 static 22.1 - 22.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static 4.3 - 8.5: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 4.62: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 5.8 - 7.5: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10.2 - 22.5: 96 h <i>Pimephales promelas</i> mg/L LC50 semi-static 6.2 - 9.6: 96 h <i>Pimephales promelas</i> mg/L LC50 13.5 - 18.3: 96 h <i>Poecilia reticulata</i> mg/L LC50 semi-static 10.8 - 16.6: 96 h <i>Poecilia reticulata</i> mg/L LC50 static 1.31: 96 h <i>Cyprinus carpio</i> mg/L LC50 semi-static 4.2: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 7.97: 96 h <i>Brachydanio rerio</i> mg/L LC50 flow-through 9.9 - 20.1: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 4.06 - 5.75: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 4.2 - 4.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 4.5: 96 h <i>Lepomis macrochirus</i> mg/L LC50</p> |  | <p>1.8: 48 h <i>Daphnia magna</i> mg/L EC50</p> |
| <p>Sodium metasilicate<br/>6834-92-0</p>  |   | <p>210: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 210: 96 h <i>Brachydanio rerio</i> mg/L LC50</p>   |  | <p>216: 96 h <i>Daphnia magna</i> mg/L EC50</p> |

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

| Chemical Name                               | Partition Coefficient |
|---|-----------------------|
| Ethylene Glycol Monobutyl Ether<br>111-76-2 | 0.81                  |
| Sodium lauryl sulfate<br>151-21-3           | 1.6                   |
| Subtilisin<br>9014-01-1                     | 499                   |

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.



**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

### California Hazardous Waste Status

| Chemical Name                | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Sodium carbonate<br>497-19-8 | Corrosive                         |

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**TDG** Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

| Chemical Name                     | TSCA    | DSL | NDSL | EINECS  | ELINCS | ENCS    | IECSC | KECL    | PICCS | AICS |
|-----------------------------------|---------|-----|------|---------|--------|---------|-------|---------|-------|------|
| Sodium Tripolyphosphate           | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Sodium carbonate                  | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Sodium dodecyl benzene sulphonate | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Ethylene Glycol Monobutyl Ether   | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Sodium lauryl sulfate             | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Sodium metasilicate               | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Silica, Quartz                    | Present | X   |      | Present |        | Present | X     | Present | X     | X    |
| Subtilisin                        | Present | X   |      | Present |        |         | X     | Present | X     | X    |

### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

### US Federal Regulations

#### CERCLA

| Chemical Name                                   | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                  |
|---|--------------------------|----------------|---|
| Sodium dodecyl benzene sulphonate<br>25155-30-0 | 1000 lb                  |                | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                              | CAS No   | Weight-% | SARA 313 - Threshold Values % |
|--|----------|----------|-------------------------------|
| Ethylene Glycol Monobutyl Ether - 111-76-2 | 111-76-2 | 6        | 1.0                           |

**CWA (Clean Water Act)**

| Chemical Name                     | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium dodecyl benzene sulphonate | 1000 lb                     |                        |                           | X                          |

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name               | California Proposition 65 |
|-----------------------------|---------------------------|
| Silica, Quartz - 14808-60-7 | Carcinogen                |

**U.S. State Right-to-Know Regulations**

| Chemical Name                                   | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Sodium dodecyl benzene sulphonate<br>25155-30-0 | X          | X             | X            |
| Ethylene Glycol Monobutyl Ether<br>111-76-2     | X          | X             | X            |
| Silica, Quartz<br>14808-60-7                    | X          | X             | X            |

**16. OTHER INFORMATION****NFPA****Health Hazards****Flammability****Instability****Special Hazards**

3

0

0

Cor

**HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

3

0

0

Not determined

Issue Date:

15-Jan-2013

Revision Date:

30-Sep-2015

Revision Note:

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**