



# Safety Data Sheet

Issue Date: 06-Dec-2010

Revision Date: 16-Dec-2013

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** FloorStar Grout Piranha

### Other means of identification

**SDS #** SVM-067

**Product Code** 32694

Formula code F1191B

**UN/ID No** UN3266

### Recommended use of the chemical and restrictions on use

**Recommended Use** Floor care.

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

ServiceMaster™ Clean  
3839 Forest Hill Irene Rd.  
Memphis, TN, USA. 38125

### Emergency Telephone Number

**Company Phone Number** 1-800-756-5656 (ServiceMaster™ Clean)  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear amber liquid

**Physical State** Liquid

**Odor** Moderate glycol ether with lemon

### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a poison center or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a poison center or doctor/physician  
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	5-10
Diethylene Glycol Monobutyl Ether	112-34-5	5-10
Sodium hydroxide	1310-73-2	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
<b>Skin Contact</b>	Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Immediately call a poison center or doctor/physician.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

**Most important symptoms and effects**

**Symptoms**

Eye: May cause severe irritation or eye damage.  
 Skin: May cause severe irritation or skin burns. May be absorbed through the skin.  
 Inhalation: May cause respiratory tract irritation.  
 Ingestion: Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

**Indication of any immediate medical attention and special treatment needed****Notes to Physician**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Product is not flammable or combustible.

**Hazardous Combustion Products** May include and are not limited to oxides of carbon, sulfur.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Use personal protective equipment as required.

**Environmental Precautions**

See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up**

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on Safe Handling**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Keep out of the reach of children.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Store in a closed container away from incompatible materials. Store locked up.

**Incompatible Materials**

Acids, Oxidizers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls**                      General ventilation normally adequate.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection**                      Chemical splash goggles.

**Skin and Body Protection**                      Rubber gloves. Confirm with a reputable supplier first.

**Respiratory Protection**                      Not normally required if good ventilation is maintained.

**General Hygiene Considerations** Wash contaminated clothing before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Moderate glycol ether with lemon
<b>Appearance</b>	Clear amber liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear amber		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12.8-13.5	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.005 - 1.020 @ 25°C	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Water thin	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
Density	Density: pounds per gallon @ 25°C 8.449 +/- 0.050	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions. Do not mix with other chemicals

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Acids, Oxidizers.

### Hazardous Decomposition Products

May include and are not limited to oxides of carbon or sulfur when heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	May cause irritation to the mucous membranes and upper respiratory tract.
<b>Ingestion</b>	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Diethylene Glycol Monobutyl Ether 112-34-5	= 3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

*ACGIH (American Conference of Governmental Industrial Hygienists)*

*A3 - Animal Carcinogen*

*IARC (International Agency for Research on Cancer)*

*Group 3 IARC components are "not classifiable as human carcinogens"*

**Chronic toxicity**

Prolonged or repeated exposure can cause drying, de-fating and dermatitis. 2-Butoxyethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged; may cause blood damage based on published data; these effects have not been observed in humans.

**Numerical measures of toxicity**

Not determined

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Diethylene Glycol Monobutyl Ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static		2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
2-Butoxyethanol 111-76-2	0.81

**Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

### DOT

UN/ID No UN3266  
 Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
 Hazard Class 8  
 Packing Group II  
 Reportable Quantity (RQ) 1000 lbs for Sodium hydroxide

### IATA

UN/ID No UN3266  
 Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
 Hazard Class 8  
 Packing Group II

### IMDG

UN/ID No UN3266  
 Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
 Hazard Class 8  
 Packing Group II

### TDG

UN/ID No UN3266  
 Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)  
 Hazard Class 8  
 Packing Group II

## 15. REGULATORY INFORMATION

### International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory  
 DSL Listed  
 NDSL Listed

#### Legend:

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*  
*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*  
*ENCS - Japan Existing and New Chemical Substances*  
*IECSC - China Inventory of Existing Chemical Substances*  
*KECL - Korean Existing and Evaluated Chemical Substances*  
*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

### US Federal Regulations

#### CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**SARA 313**

However, if this product is utilized for routine janitorial maintenance, it is exempted from this section, as stated in 40 CFR 372.382 (c) Uses Exemptions

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	5-10	1.0
Diethylene Glycol Monobutyl Ether - 112-34-5	112-34-5	5-10	1.0

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 ( 1-5 )	1000 lb			X

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
Diethylene Glycol Monobutyl Ether 112-34-5	X		X
Sodium hydroxide 1310-73-2	X	X	X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	0	0	Cor
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	Not determined	Not determined	Not determined	Not determined

Issue Date: 06-Dec-2010  
 Revision Date: 16-Dec-2013  
 Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**