



# Safety Data Sheet

Issue Date: Not determined

Revision Date: 20-May-2013

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Glasscene ® Pro

### Other means of identification

**SDS #** SVM-002

**UN/ID No** UN1993  
**Product Code** 23424, 23425  
Formula Code: F1042A

### Recommended use of the chemical and restrictions on use

**Recommended Use** Glass cleaner.

### Details of the supplier of the safety data sheet

**Manufacturer Address**  
ServiceMaster™ Clean  
3839 Forest Hill Irene Rd.  
Memphis, TN, USA. 38125

### Emergency Telephone Number

**Company Phone Number** 1-800-756-5656 (ServiceMaster™ Clean)  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear green liquid

**Physical State** Liquid

**Odor** Strong Ammonia-like

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 3

### Signal Word

**Warning**

### Hazard Statements

Causes skin irritation  
Causes serious eye irritation  
Flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear eye/face protection  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of water  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash it before reuse  
 IN CASE OF FIRE: Use CO<sub>2</sub>, dry chemical, or alcohol resistant foam to extinguish.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **WHMIS Classification**

Class D-Division 2B Class B-Division 3

#### **Other Hazards**

Harmful to aquatic life with long lasting effects

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
1-Methoxy-2-propanol	107-98-2	10-30
Isopropanol	67-63-0	3-5
Ammonium hydroxide	1336-21-6	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### First Aid Measures

<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/ attention. Wash contaminated clothing before reuse.
<b>Inhalation</b>	If symptoms are experienced, remove source of contamination or move victim to fresh air. Get medical attention if symptoms persist.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Call a physician. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects

<b>Symptoms</b>	Causes severe eye irritation. Causes skin irritation. May be absorbed through the skin with possible systemic effects. May cause respiratory irritation. Ingestion can cause irritation, nausea, or stomach distress.
-----------------	---

### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Dry chemical. Alcohol foam. Carbon dioxide (CO2).

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Flammable.

**Hazardous Combustion Products** May include but are not limited to: oxides of carbon, oxides of nitrogen, ammonia.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Personal Precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
<b>Environmental Precautions</b>	Prevent run off to storm sewers and ditches leading to natural waterways.

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so. Before attempting clean up, refer to hazard data (exposure control and personal protection) in Section 8 of the data sheet.
<b>Methods for Clean-Up</b>	Absorb with inert material, and then place in suitable container for chemical waste. Keep in suitable, closed containers for disposal. Contact emergency services and supplier for advice.

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Please also refer to Section 2 under PRECAUTIONARY STATEMENTS - PREVENTION. Use personal protection recommended in Section 8.
--------------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep out of the reach of children. Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from incompatible materials. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
<b>Incompatible Materials</b>	Acids. Oxidizers.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1-Methoxy-2-propanol 107-98-2	STEL: 150 ppm TWA: 100 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
Isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

**Appropriate engineering controls**

<b>Engineering Controls</b>	Apply technical measures to comply with the occupational exposure limits. Ventilation systems. Eyewash stations. Showers.
-----------------------------	---

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Chemical splash goggles.
<b>Skin and Body Protection</b>	Wear suitable protective clothing. Suitable gloves can be recommended by the glove supplier. Wear other protective equipment as required by employer code.
<b>Respiratory Protection</b>	Under normal conditions, respirator is not normally required. Avoid breathing dust/fume/gas/mist/vapors/spray. If engineering controls do not maintain airborne concentrations below recommended exposure limits, a NIOSH/MSHA approved respirator must be worn.

<b>General Hygiene Considerations</b>	Wash contaminated clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.
---------------------------------------	---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	<b>Odor</b>	Strong Ammonia-like
<b>Appearance</b>	Clear green liquid	<b>Odor Threshold</b>	Not available
<b>Color</b>	Clear green		

Property	Values	Remarks • Method
<b>pH</b>	11.2	100%
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F	
<b>Flash Point</b>	40 °C / 104 °F	Tag Closed Cup
<b>Evaporation Rate</b>	Not available	
<b>Flammability (Solid, Gas)</b>	Not determined	
<b>Upper Flammability Limits</b>	Not available	
<b>Lower Flammability Limit</b>	Not available	
<b>Vapor Pressure</b>	Not available	
<b>Vapor Density</b>	Not available	
<b>Specific Gravity</b>	0.986-0.998	
<b>Water Solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not applicable	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Water thin	
<b>Dynamic Viscosity</b>	Water thin	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions. Do not mix with other chemicals.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing. See below - Incompatible Materials.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Acids. Oxidizers.

### Hazardous Decomposition Products

May include but are not limited to: oxides of carbon, oxides of nitrogen, ammonia. when heated to decomposition.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye irritation.
<b>Skin Contact</b>	Causes skin irritation. May be absorbed through the skin with possible systemic effects.
<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	Ingestion can cause irritation, nausea, or stomach distress. May cause vomiting.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
1-Methoxy-2-propanol 107-98-2	= 5200 mg/kg ( Rat )	= 13000 mg/kg ( Rabbit )	= 54.6 mg/L ( Rat ) 4 h > 24 mg/L ( Rat ) 1 h
Isopropanol 67-63-0	= 4396 mg/kg ( Rat )	= 12800 mg/kg ( Rat ) = 12870 mg/kg ( Rabbit )	= 72.6 mg/L ( Rat ) 4 h
Ammonium hydroxide 1336-21-6	= 350 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Prolonged or repeated exposure can cause drying, defatting, and dermatitis of skin. Absorption through skin contact may be hazardous.

**Carcinogenicity** Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical. IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0		Group 3		X

#### Legend

*IARC (International Agency for Research on Cancer)*

*Group 1 - Carcinogenic to Humans*

*Group 3 IARC components are "not classifiable as human carcinogens"*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present*

### Numerical measures of toxicity

Not determined

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1-Methoxy-2-propanol 107-98-2		20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static		23300: 48 h Daphnia magna mg/L EC50
Isopropanol 67-63-0	1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Ammonium hydroxide 1336-21-6		8.2: 96 h Pimephales promelas mg/L LC50		0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient
1-Methoxy-2-propanol 107-98-2	-0.437
Isopropanol 67-63-0	0.05

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### **Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status
Isopropanol 67-63-0	Toxic Ignitable
Ammonium hydroxide 1336-21-6	Toxic Corrosive

## 14. TRANSPORT INFORMATION

<b><u>Note</u></b>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<b><u>DOT</u></b>	In non-bulk packages, product is not regulated for ground transportation. For bulk packages or shipment by vessel, please see IMDG information.
UN/ID No	UN1993
Proper Shipping Name	Flammable liquids, n.o.s. (isopropanol)
Hazard Class	3
Packing Group	III
<b><u>IATA</u></b>	
UN/ID No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s (isopropanol)
Hazard Class	3
Packing Group	III
<b><u>IMDG</u></b>	
UN/ID No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s. (isopropanol)
Hazard Class	3
Packing Group	III
<b><u>TDG</u></b>	Not regulated when transported in containers less than 450 liters
UN/ID No	UN1993
Hazard Class	3
Packing Group	III

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	All ingredients are listed or exempt from listing on Chemical Substance Inventory
<b>DSL</b>	Listed
<b>NDSL</b>	Listed

#### Legend:

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*  
*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*  
*ENCS - Japan Existing and New Chemical Substances*  
*IECSC - China Inventory of Existing Chemical Substances*  
*KECL - Korean Existing and Evaluated Chemical Substances*  
*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

### US Federal Regulations

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium hydroxide 1336-21-6	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ



**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	3-5	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	1-5	1.0

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide 1336-21-6 ( 1-5 )	1000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1-Methoxy-2-propanol 107-98-2	X	X	X
Isopropanol 67-63-0	X	X	X
Ammonium hydroxide 1336-21-6	X	X	X

## 16. OTHER INFORMATION

**NFPA****Health Hazards**

2

**Flammability**

2

**Instability**

0

**Special Hazards**

Not determined

**HMIS****Health Hazards**

Not determined

**Flammability**

Not determined

**Physical Hazards**

Not determined

**Personal Protection**

Not determined

Revision Date:

20-May-2013

Revision Note:

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet