



Safety Data Sheet

Issue Date 15-Jun-2010

Revision Date: 30-Aug-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Wallglide Plus-ER

Other means of identification

SDS # SVM-038

UN/ID No UN1760
Product Code 23274, 23275
Formula code F1206

Recommended use of the chemical and restrictions on use

Recommended Use All purpose cleaner.

Details of the supplier of the safety data sheet

Manufacturer Address
ServiceMaster™ Clean
3839 Forest Hill Irene Rd.
Memphis, TN, USA. 38125

Emergency Telephone Number

Company Phone Number 1-800-756-5656 (ServiceMaster™ Clean)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Clear, thin, reddish-orange liquid

Physical State Liquid

Odor Pine

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Get medical attention if symptoms persist
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-70
Quaternary Cocoalkylamine Ethoxylate	61791-10-4	1-5
Alcohol Ethoxylate	68439-46-3	5-10
Sodium metasilicate	6834-92-0	1-5
Sodium hydroxide	1310-73-2	1-5

4. FIRST-AID MEASURES

First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. Get medical attention immediately.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms persist.
Ingestion	Do not induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Never give anything by mouth to a person who is unconscious, is rapidly losing consciousness or is convulsing. Call a physician or poison control center immediately.

Most important symptoms and effects

Symptoms	May cause eye burns and permanent eye damage. Prolonged contact may even cause severe skin irritation or mild burn. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, throat or stomach.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products May include but are not limited to: oxides of carbon, oxides of nitrogen, ammonia.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Prevent large spills from entering sewers or waterways.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use personal protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Store away from incompatible materials.

Incompatible Materials Oxidizers. Acids. Soft metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

The following information is given as general guidance

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Citric Acid 77-92-9	-	15 mg / m ³ (Total)	-
Sodium metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical splash goggles.

Skin and Body Protection

Rubber gloves. Confirm with a reputable supplier first.

Respiratory Protection

Not normally required if good ventilation is maintained. Avoid breathing vapors. Avoid mists.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Pine
Appearance	Clear, thin, reddish-orange liquid	Odor Threshold	Not available
Color	Reddish orange		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12-13	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not available	
Flash Point	None	Tag Closed Cup
Evaporation Rate	Not available	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not available	
Vapor Density	Not available	
Specific Gravity	1.07-1.09	(1=Water)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition Temperature	Not applicable	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Water thin	
Dynamic Viscosity	Water thin	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
Density	8.92-9.07 lb/gal	

10. STABILITY AND REACTIVITY

Reactivity

Reacts with acids. Reacts with soft metals such as aluminum and zinc producing flammable hydrogen gas. Do not mix with anything but water.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Oxidizers. Acids. Soft metals.

Hazardous Decomposition Products

May include but are not limited to: oxides of carbon, oxides of nitrogen, ammonia.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Citric Acid 77-92-9	= 3000 mg/kg (Rat)	-	-
Alcohol Ethoxylate 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No reproductive toxicity data are available on this compound.
Teratogenicity	No teratogenicity data are available on this compound.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Citric Acid 77-92-9		1516: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static		120: 72 h <i>Daphnia magna</i> mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 210: 96 h <i>Brachydanio rerio</i> mg/L LC50		216: 96 h <i>Daphnia magna</i> mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static		

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium metasilicate)
Hazard Class 8
Packing Group III

IATA

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium metasilicate)
Hazard Class 8
Packing Group III

IMDG

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium metasilicate)
Hazard Class 8
Packing Group III

TDG

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium metasilicate)
Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory
DSL Listed
NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Not determined

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 (1-5)	1000 lb			X

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards**

2

Flammability

0

Instability

0

Special Hazards

Not determined

HMIS**Health Hazards**

Not determined

Flammability

Not determined

Physical Hazards

Not determined

Personal Protection

Not determined

Issue Date

15-Jun-2010

Revision Date:

30-Aug-2013

Revision Note

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet