



Safety Data Sheet

Issue Date: 22-Mar-2010

Revision Date: 13-Nov-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name FiberFresh® Stain Erase Additive

Other means of identification

SDS # SVM-022

Product Code 23349

Formula code F1081

UN/ID No UN3260

Recommended use of the chemical and restrictions on use

Recommended Use Spot cleaner.

Details of the supplier of the safety data sheet

Manufacturer Address

ServiceMaster™ Clean
3635 Knight Road Ste 7
Memphis, TN, USA. 38118

Emergency Telephone Number

Company Phone Number 1-800-756-5656 (ServiceMaster™ Clean)
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance White granular powder

Physical State Solid

Odor None

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a poison center or doctor/physician
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium metabisulfite	7681-57-4	60-100
Sodium bifluoride	1333-83-1	7-13

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
Skin Contact	Brush away excess of dry material. Immediately flush with cool water for 15 minutes. Immediately call a poison center or doctor/physician.
Inhalation	Remove to fresh air. Seek immediate medical attention/advice.

Ingestion	Do not induce vomiting. Rinse mouth with water then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.
------------------	---

Most important symptoms and effects

Symptoms	<p>Eye: May cause chemical burns. May cause permanent damage.</p> <p>Skin: May cause chemical burns. May be absorbed through the skin.</p> <p>Inhalation: May cause respiratory tract irritation.</p> <p>Ingestion: Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.</p>
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products May include and are not limited to oxides of carbon, sulfur or sodium, hydrogen fluoride, sodium fluoride.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

Environmental Precautions	Prevent large spills from entering sewers or waterways. See Section 12 for additional Ecological Information.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for Containment	For small spills, absorb on polypads or other suitable non-reactive absorbent materials.
--------------------------------	--

Methods for Clean-Up	Before attempting clean up, refer to hazard data given above. Sweep up absorbed material and shovel into suitable containers for disposal. Contact emergency services and supplier for advice.
-----------------------------	--

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Keep out of the reach of children. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store in a closed container away from incompatible materials. Store in a cool, dry, well-ventilated place. Keep out of the reach of children. Store locked up.

Incompatible Materials

Oxidizers, caustics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metabisulfite 7681-57-4	TWA: 5 mg/m ³	(vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³
Sodium bifluoride 1333-83-1	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F TWA: 2.5 mg/m ³ dust (vacated) TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³ F

Appropriate engineering controls

Engineering Controls

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical splash goggles.

Skin and Body Protection

Rubber gloves. Confirm with a reputable supplier first.

Respiratory Protection

Not normally required if good ventilation is maintained.

General Hygiene Considerations Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	None
Appearance	White granular powder	Odor Threshold	Not available
Color	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	6.5-7.5	
Melting Point/Freezing Point	Not available	
Boiling Point/Boiling Range	Not available	
Flash Point	None	
Evaporation Rate	Not available	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	

Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity	1.48
Water Solubility	Completely soluble
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Incompatible Materials.

Incompatible Materials

Oxidizers, caustics.

Hazardous Decomposition Products

May include and are not limited to oxides of carbon, sulfur or sodium, hydrogen fluoride, sodium fluoride when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	Can cause irritation and corrosive burns to mouth, throat, and stomach.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metabisulfite 7681-57-4	= 1131 mg/kg (Rat)	> 2 g/kg (Rat)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium metabisulfite 7681-57-4		Group 3		
Sodium bifluoride 1333-83-1		Group 3		

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Chronic toxicity

Prolonged or repeated exposure to dilutions can cause drying, de-fatting and dermatitis.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium metabisulfite 7681-57-4	48: 72 h Desmodesmus subspicatus mg/L EC50 40: 96 h Desmodesmus subspicatus mg/L EC50	32: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 56 mg/L 17 h	89: 24 h Daphnia magna Straus mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Sodium metabisulfite 7681-57-4	-3.7

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN3260
 Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Sodium hydrogendifluoride)
 Hazard Class 8
 Packing Group II
 Reportable Quantity (RQ) 100 lbs

IATA

UN/ID No UN3260
 Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Sodium hydrogendifluoride)
 Hazard Class 8
 Packing Group II

IMDG

UN/ID No UN3260
 Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Sodium hydrogendifluoride)
 Hazard Class 8
 Packing Group II

TDG

UN/ID No UN3260
 Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s. (Sodium hydrogendifluoride)
 Hazard Class 8
 Packing Group II

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory
 DSL Listed
 NDSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium bifluoride 1333-83-1	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium bifluoride 1333-83-1 (7-13)	100 lb			X

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium metabisulfite 7681-57-4	X	X	X
Sodium bifluoride 1333-83-1	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	3	0	0	Cor
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	3	0	0	Not determined

Issue Date: 22-Mar-2010
 Revision Date: 13-Nov-2013
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet